




BLUE

Aplicação em materiais endurecidos
até 70HRC.



nissin


cutting tools • management • technology



Fresa Long Neck Esférica - 2 Cortes



CÓDIGO NISSIN	DIÂMETRO D1	COMPRIMENTO DE CORTE L1	ÁREA ÚTIL L2	COMPRIMENTO L	DIÂMETRO DA HASTE D2
7030.106	1	0.8	6	45	4
7030.108	1	0.8	8	45	4
7030.110	1	0.8	10	45	4
7030.510	1.5	1.35	10	45	4
7030.512	1.5	1.35	12	45	4
7030.514	1.5	1.35	14	45	4
7030.210	2	1.8	10	45	4
7030.214	2	1.8	14	45	4
7030.220	2	1.8	20	45	4
7030.320	3	3	20	60	6
7030.330	3	3	30	60	6



Fresa Esférica - 2 Cortes



CÓDIGO NISSIN	DIÂMETRO D1	COMPRIMENTO DE CORTE L1	COMPRIMENTO L	DIÂMETRO DA HASTE D2
7040.005	0.5	1	45	4
7040.008	0.8	2	45	4
7040.410	1	2.5	45	4
7040.610	1	2.5	50	6
7040.415	1.5	3	45	4
7040.615	1.5	3	50	6
7040.420	2	5	45	4
7040.620	2	5	50	6
7040.430	3	8	50	4
7040.630	3	8	60	6
7040.040	4	8	60	4
7040.640	4	8	60	6
7040.650	5	10	60	6
7040.060	6	12	60	6
7041.060	6	12	80	6
7040.080	8	14	60	8
7041.060	6	12	80	6
7041.080	8	14	100	8
7040.100	10	18	70	10
7041.100	10	18	100	10
7040.120	12	22	75	12
7041.121	12	22	100	12



Fresa Topo Reto - 4 Cortes



CÓDIGO NISSIN	DIÂMETRO D1	COMPRIMENTO DE CORTE L1	COMPRIMENTO L	DIÂMETRO DA HASTE D2
7050.040	4	11	45	4
7050.060	6	15	50	6
7050.080	8	19	60	8
7050.100	10	22	70	10
7050.120	12	26	75	12



Fresa Toroidal - 4 Cortes



CÓDIGO NISSIN	DIÂMETRO D1	RAIO R	COMPRIMENTO DE CORTE L1	COMPRIMENTO L	DIÂMETRO DA HASTE D2
7060.025	2	0.5	6	45	4
7060.035	3	0.5	8	60	6
7060.045	4	0.5	11	60	6
7060.065	6	0.5	15	70	6
7060.061	6	1.0	15	70	6
7060.085	8	0.5	19	80	8
7060.081	8	1.0	19	80	8
7060.105	10	0.5	22	80	10
7060.101	10	1.0	22	80	10
7060.111	10	1.0	22	100	10
7060.121	12	1.0	26	80	12
7060.122	12	1.0	24	100	12